EDN Article Index, January – June, 197

NOTES: C (Circuit Design Award); F (Design Feature); N (News); P (Progress in Products)

Circuits/Circuit Design

Active filters come in custom varieties with almost off-the-shelf delivery
P, March 15, pg. 91
Analog circuit modules offer advantages in industrial systems
F, March 1, pg. 18
Anti-coincidence circuit prevents loss of data
C, January 1, pg. 73
Automatically tuned filter uses IC operational amplifiers
F, February 1, pg. 38
Bias supply circuit provides constant current
C, May 15, pg. 51
Bucket brigade IC forms heart of speech compression system
N, January 1, pg. 18
Buffer/filter extracts WWV time codes
C, April 1, pg. 51
Build a high-accuracy waveshaping circuit using inexpensive parts
F, June 1, pg. 36
Build a keyboard code-converter with off-the-shelf parts
E, March 15, pg. CH-16
Build an ON-OFF timer using inexpensive ICs
F, April 15, pg. 44
CMOS finally gets it all together
F, June 15, pg. 28
Circuit remembers random data within periodic field
C, February 15, pg. 54
Command detector requires zero standby power
C, June 1, pg. 48
Constant-current generator speeds up wired-OR circuits
C, June 15, pg. 55
Convert NRZ(M) signals to binary with little muss 'n fuss
F, February 15, pg. CH-21
DPM makes selfcontained digital thermometer
C, May 1, pg. 55
DTL delayed one-shot
C, January 15, pg. 48
Design complex active filters with these few equations
F, March 15, pg. 53
Design toroids the easy way, using a computer to find the smallest core
F, February 1, pg. 44
Digital ICs offer new solutions for rough industrial problems
F, February 15, pg. 20
Do you really need fast ladder switches in your D/A converter?
F, January 15, pg. 43
Don't be confused by IC switching time specifications
F, March 1, pg. 34
Don't forget the optical isolator when solving coupling problems
F, April 15, pg. 26
Don't leave system grounding to chance
F, January 15, pg. 22
Don't let avoidable reed-relay pitfalls cripple your equipment designs
F, May 15, pg. 26
Don't neglect the solid-state switch
F, March 1, pg. 44
ECL arithmetic unit performs high-speed binary multiplication
F, May 1, pg. 45
Extra IC insures oscillator start-up
C, May 1, pg. 55
Feedforward-amplifier technique reduces noise and increases usable bandwidth
N, March 1, pg. 13
For high-frequency communications equipment use balanced modulators
F, February 15, pg. 28
Gating circuit detects positive or negative peaks
C, May 1, pg. 54
Graphs yield circuit Q for gyrators and other synthetic reactive elements
F, June 1, pg. 45
Have a 50V swing on a 30V supply
F, January 1, pg. 59
Here they are . . . the winners of the EDN creative design contest
F, June 1, pg. 19
High-gain ac/dc oscilloscope amplifier
C, February 1, pg. 56
High performance push-pull circuit boasts low power-losses
F, April 1, pg. 30
High speed circuit converts binary to BCD
C, March 15, pg. 64
High speed circuit detects phase-difference
C, April 15, pg. 52
High-voltage source follower
C, February 1, pg. 58
IC op amps make inexpensive instrumentation amplifiers
C, May 15, pg. 52
IC op amps simplify regulator design
F, January 15, pg. 30
IC power supply provides test spikes or level shifts
C, April 15, pg. 54
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Incandescent lamps mate well with silicon photosensors
F, January 1, pg. 44
J-FET generates clear or preset commands for low-power TTL
C, February 15, pg. 56
JFET switched resistor controls gain of op amps
C, April 1, pg. 50
Keeping up with new dimensions in IC applications
F, March 15, pg. 42
Kitchen stove uses solid-state oscillator
N, February 15, pg. 13
Latching circuit provides noise immunity
C, February 1, pg. 56
Linear signal compressor has wide dynamic range
C, March 1, pg. 50
Logic probe tests three-state logic ciruits
C, February 15, pg. 56
Low-cost IR system detects intruders
C, March 15, pg. 62
Low-power digital phase locked loop utilizes CMOS logic
F, March 15, pg. 36
Memory topics cover wide span at ISSCC
N, March 15, pg. 19
Minimize overlap to maximize efficiency in saturated push-pull circuits
F, February 1, pg. 48
Modular power supply line comes in three sizes and spans 44 models
P, February 15, pg. 65
Multiplexing doesn't have to be limited to communications applications
F, April 1, pg. 18
Need precise power pulses? Here are four ways to get them.
F, February 15, pg. 48
New hydrogen laser emits at 1161A . . . the shortest laser wavelength to date
N, April 1, pg. 16
New techniques for millimeter microstrip unveiled at International Microwave Symposium
N, June 1, pg. 14
No-tuneup 50,000 mile ignition system helps cut auto pollution
N, March 15, pg. 22
One CMOS package makes universal logic probe
C, June 15, pg. 56
One circuit performs both binary-to-BCD and BCD-to-binary conversions
F, May 15, pg. 55
One-shot multivibrator has delayed output
C, June 15, pg. 54
One shot triggers on both edges
C, February 15, pg. 55
One transistor improves IC voltage regulator
C, May 15, pg. 51
Op amps teamed with mini-inductors yield circuits with infinite "Q"
F, April 1, pg. 38
Optical coupler and level shifter
C, February 1, pg. 55
PRF monitor with adjustable end limits
C, February 1, pg. 57
PUT oscillator has 4-decade frequency range
C, March 1, pg. 50
Phase modulator has broad bandwidth
C, March 15, pg. 63
Precision oscillator is versatile
C, April 1, pg. 49
Programmable modulo up/down counter makes a flexible timer
F, April 15, pg. 30
Pulse technique determines series inductance of a resistor
C, June 1, pg. 49
Quad flip-flop wins National/EDN Tri-State logic design contest
F, June 15, pg. 48
R&D famine leaves ISSCC in rut . . . but some new developments emerge
N, March 15, pg. 18
Reduce integrator transients with synchronized gate signals
C, January 15, pg. 46
SCRs form electronic combination lock
C, April 1, pg. 51
Selective filter for low frequencies
C, January 15, pg. 46
Self-adjusting zener circuit wins EDN's '71 contest
N, May 15, pg. 22
Silicon unilateral switches detect initial event
C, June 1, pg. 47
Simple IC meter amplifier circuit measures 100 nA full-scale
F, April 15, pg. 40
Simple linear PLL demodulator uses discrete components
F, April 15, pg. 34
Single-amplifier active filters give stable Q
F, January 1, pg. 65
Single-digit BCD adder uses 3 ICs

EDN Article Index, January – June, 197

NOTES: C (Circuit Design Award); F (Design Feature); N (News); P (Progress in Products)

Circuits/Circuit Design

Active filters come in custom varieties with almost off-the-shelf delivery
P, March 15, pg. 91
Analog circuit modules offer advantages in industrial systems
F, March 1, pg. 18
Anti-coincidence circuit prevents loss of data
C, January 1, pg. 73
Automatically tuned filter uses IC operational amplifiers
F, February 1, pg. 38
Bias supply circuit provides constant current
C, May 15, pg. 51
Bucket brigade IC forms heart of speech compression system
N, January 1, pg. 18
Buffer/filter extracts WWV time codes
C, April 1, pg. 51
Build a high-accuracy waveshaping circuit using inexpensive parts
F, June 1, pg. 36
Build a keyboard code-converter with off-the-shelf parts
E, March 15, pg. CH-16
Build an ON-OFF timer using inexpensive ICs
F, April 15, pg. 44
CMOS finally gets it all together
F, June 15, pg. 28
Circuit remembers random data within periodic field
C, February 15, pg. 54
Command detector requires zero standby power
C, June 1, pg. 48
Constant-current generator speeds up wired-OR circuits
C, June 15, pg. 55
Convert NRZ(M) signals to binary with little muss 'n fuss
F, February 15, pg. CH-21
DPM makes selfcontained digital thermometer
C, May 1, pg. 55
DTL delayed one-shot
C, January 15, pg. 48
Design complex active filters with these few equations
F, March 15, pg. 53
Design toroids the easy way, using a computer to find the smallest core
F, February 1, pg. 44
Digital ICs offer new solutions for rough industrial problems
F, February 15, pg. 20
Do you really need fast ladder switches in your D/A converter?
F, January 15, pg. 43
Don't be confused by IC switching time specifications
F, March 1, pg. 34
Don't forget the optical isolator when solving coupling problems
F, April 15, pg. 26
Don't leave system grounding to chance
F, January 15, pg. 22
Don't let avoidable reed-relay pitfalls cripple your equipment designs
F, May 15, pg. 26
Don't neglect the solid-state switch
F, March 1, pg. 44
ECL arithmetic unit performs high-speed binary multiplication
F, May 1, pg. 45
Extra IC insures oscillator start-up
C, May 1, pg. 55
Feedforward-amplifier technique reduces noise and increases usable bandwidth
N, March 1, pg. 13
For high-frequency communications equipment use balanced modulators
F, February 15, pg. 28
Gating circuit detects positive or negative peaks
C, May 1, pg. 54
Graphs yield circuit Q for gyrators and other synthetic reactive elements
F, June 1, pg. 45
Have a 50V swing on a 30V supply
F, January 1, pg. 59
Here they are . . . the winners of the EDN creative design contest
F, June 1, pg. 19
High-gain ac/dc oscilloscope amplifier
C, February 1, pg. 56
High performance push-pull circuit boasts low power-losses
F, April 1, pg. 30
High speed circuit converts binary to BCD
C, March 15, pg. 64
High speed circuit detects phase-difference
C, April 15, pg. 52
High-voltage source follower
C, February 1, pg. 58
IC op amps make inexpensive instrumentation amplifiers
C, May 15, pg. 52
IC op amps simplify regulator design
F, January 15, pg. 30
IC power supply provides test spikes or level shifts
C, April 15, pg. 54
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Incandescent lamps mate well with silicon photosensors
F, January 1, pg. 44
J-FET generates clear or preset commands for low-power TTL
C, February 15, pg. 56
JFET switched resistor controls gain of op amps
C, April 1, pg. 50
Keeping up with new dimensions in IC applications
F, March 15, pg. 42
Kitchen stove uses solid-state oscillator
N, February 15, pg. 13
Latching circuit provides noise immunity
C, February 1, pg. 56
Linear signal compressor has wide dynamic range
C, March 1, pg. 50
Logic probe tests three-state logic ciruits
C, February 15, pg. 56
Low-cost IR system detects intruders
C, March 15, pg. 62
Low-power digital phase locked loop utilizes CMOS logic
F, March 15, pg. 36
Memory topics cover wide span at ISSCC
N, March 15, pg. 19
Minimize overlap to maximize efficiency in saturated push-pull circuits
F, February 1, pg. 48
Modular power supply line comes in three sizes and spans 44 models
P, February 15, pg. 65
Multiplexing doesn't have to be limited to communications applications
F, April 1, pg. 18
Need precise power pulses? Here are four ways to get them.
F, February 15, pg. 48
New hydrogen laser emits at 1161A . . . the shortest laser wavelength to date
N, April 1, pg. 16
New techniques for millimeter microstrip unveiled at International Microwave Symposium
N, June 1, pg. 14
No-tuneup 50,000 mile ignition system helps cut auto pollution
N, March 15, pg. 22
One CMOS package makes universal logic probe
C, June 15, pg. 56
One circuit performs both binary-to-BCD and BCD-to-binary conversions
F, May 15, pg. 55
One-shot multivibrator has delayed output
C, June 15, pg. 54
One shot triggers on both edges
C, February 15, pg. 55
One transistor improves IC voltage regulator
C, May 15, pg. 51
Op amps teamed with mini-inductors yield circuits with infinite "Q"
F, April 1, pg. 38
Optical coupler and level shifter
C, February 1, pg. 55
PRF monitor with adjustable end limits
C, February 1, pg. 57
PUT oscillator has 4-decade frequency range
C, March 1, pg. 50
Phase modulator has broad bandwidth
C, March 15, pg. 63
Precision oscillator is versatile
C, April 1, pg. 49
Programmable modulo up/down counter makes a flexible timer
F, April 15, pg. 30
Pulse technique determines series inductance of a resistor
C, June 1, pg. 49
Quad flip-flop wins National/EDN Tri-State logic design contest
F, June 15, pg. 48
R&D famine leaves ISSCC in rut . . . but some new developments emerge
N, March 15, pg. 18
Reduce integrator transients with synchronized gate signals
C, January 15, pg. 46
SCRs form electronic combination lock
C, April 1, pg. 51
Selective filter for low frequencies
C, January 15, pg. 46
Self-adjusting zener circuit wins EDN's '71 contest
N, May 15, pg. 22
Silicon unilateral switches detect initial event
C, June 1, pg. 47
Simple IC meter amplifier circuit measures 100 nA full-scale
F, April 15, pg. 40
Simple linear PLL demodulator uses discrete components
F, April 15, pg. 34
Single-amplifier active filters give stable Q
F, January 1, pg. 65
Single-digit BCD adder uses 3 ICs

C, March 1, pg. 52
Single IC makes high-level logic probe
C, March 15, pg. 63
Single op-amp relaxation oscillator generates linear ramp output
C, March 1, pg. 51
Single-voltage circuit generates "power-on" reset pulse
C, January 1, pg. 72
Solid-state 100W amplifier operates from a 12V source
F, March 1, pg. 46
Speak out on op-amp testers
F, January 1, pg. 50
Stepping-motor controller costs little but performs well
F, May 15, pg. 34
Super-stable reference-voltage source Best design of 1971
C, May 15, pg. 50
Surface-wave detectors hold promise of fully programmable filters
N, February 1, pg. 23
TTL pipeline multipliers double multiplication rate
F, May 1, pg. 48
Temperature-coefficient measuring circuit
C, February 1, pg. 54
Test box indicates logic levels for entire IC
C, June 1, pg. 48
Test IC voltage regulators with one general-purpose circuit
F, May 15, pg. 40
Test op amps the easy way with simple step-by-step methods
F, March 1, pg. 28
Thirty-second timer uses IC one-shot
C, January 1, pg. 73
Timer produces time delay from μsecs to hours
C, April 15, pg. 53
Transistor circuit speeds synch time of phase locked oscillator
C, June 15, pg. 54
Triac gating circuit
C, January 1, pg. 72
Triangle-wave circuit has wide range controls
C, April 1, pg. 50
2 CMOS gates convert counter into capacitance meter
C, April 15, pg. 53
Two switching regulators for battery-powered systems
F, February 15, pg. 40
2 TTL packages convert BCD up-counter for down counting
C, June 15, pg. 55
Two-tone test generator delivers high-purity output
F, March 15, pg. 50
Use a single op-amp circuit for many instrumentation problems
F, April 1, pg. 32
Yes, you can design Butterworth or Chebyshev active filters with gain
F, June 15, pg. 40

Communications

Acoustic systems allow handwritten data to be sent on phone lines
N, June 15, pg. 18
Bucket brigade IC forms heart of speech compression system
N, January 1, 1972, pg. 18
Buffer/filter extracts WWV time codes
C, April 1, pg. 51
Build a keyboard code-converter with off-the-shelf parts
F, March 15, pg. CH-16
Coming on TV: Faster and more information election-night returns
N, May 1, pg. 15
Convert NRZ(M) signals to binary with little muss 'n fuss
F, February 15, pg. CH-21
Digital cartridges . . . New steps in many right directions
F, April 1, pg. 26
Digital cassettes . . . growing like wonderful weeds
F, February 1, pg. 28
Digitally controlled microwave attenuator has stable characteristics
P, February 15, pg. 67
Electronic typewriter/printer challenges IBM in low speed market
P, April 1, pg. 54
Feedforward-amplifier technique reduces noise and increases usable bandwidth
N, March 1, pg. 13
Fingerprint transmission via satellite proves feasible
N, February 15, pg. 14
For high-frequency communications equipment use balanced modulators
F, February 15, pg. 28
For the communication system of the future: low-loss optical fibers
N, May 15, pg. 18
Flying clocks test relativity theory
N, January 15, pg. 17
Hand is scanned for positive identification
N, January 1, pg. 17
High-speed printer mates neatly with minicomputers
P, February 1, pg. 64
Holography may bring world's art treasures to millions
N, May 15, pg. 19
How effective are data transmission redundance checks?
F, June 15, pg. 66
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Keeping up with new dimensions in IC applications
F, March 15, pg. 42
Low-cost alphanumeric data terminal fills price – performance gap between full-scale video displays and teletypewriters
P, June 1, pg. 51
Low-cost double-balanced mixers increase in performance
P, February 15, pg. 67
Memory topics cover wide span at ISSCC
N, March 15, pg. 19
Miniaturized x-band antenna is not only small but extremely rugged too
N, April 1, pg. 15
Minicomputers shoulder the data communications burden for large computer systems
N, June 1, pg. 15
Multiplexing doesn't have to be limited to communications applications
F, April 1, pg. 18
Multiplexing system processes 13,000 signals
N, February 15, pg. 12
NBS breakthrough yields frequency measurements at 88 THz
N, March 1, pg. 12
New hydrogen laser emits at 1161A . . . the shortest laser wavelength to date
N, April 1, pg. 16
New techniques for millimeter microstrip unveiled at International Microwave Symposium
N, June 1, pg. 14
PUT oscillator has 4-decade frequency range
C, March 1, pg. 50
R&D famine leaves ISSCC in rut . . . but some new developments emerge
N, March 15, pg. 18
Radio-location techniques and computer locate police cars in metropolitan area
N, April 1, pg. 17
$6 billion security market foreseen by '76 – an electronics boon
N, January 1, pg. 18
Solar energy holds promise of long-life lasers for use in space communications
N, March 15, pg. 23
Solid-state 100W amplifier operates from a 12V source
F, March 1, pg. 46
Solid-state video camera promises improvements in size and performance
N, May 1, pg. 16
Speak out on plated-wire memories
Speak out, March 1, pg. 40
Technique yields high-quality holographic images from ordinary light sources
N, May 1, pg. 15
The ABCs of asynchronous data transmission
F, February 15, pg. 34
Tiniest gas laser yet developed is a waveguide type only 2 in. long and 0.02 in. in diameter
N, June 1, pg. 15

Components/Modules

Accuracy to within a few minutes per year is possible with three-piece quartz electronic wristwatch set
N, April 1, pg. 17
Analog circuit modules offer advantages in industrial systems
F, March 1, pg. 18
Design toroids the easy way, using a computer to find the smallest core
F, February 1, pg. 44
Design your own rack-and-panel connectors with modular connector kit
P, June 1, pg. 51
Do you really need fast ladder switches in your D/A converter?
F, January 15, pg. 43
Don't forget the optical isolator when solving coupling problems
F, April 15, pg. 26
Don't let avoidable reed-relay pitfalls cripple your equipment designs
F, May 15, pg. 26
For the communication system of the future: low-loss optical fibers
N, May 15, pg. 18
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Keyboards – the indispensible link between man and machine
F, June 1, pg. 26
Kitchen stove uses solid-state oscillator
N, February 15, pg. 13
Low-cost double-balanced mixers increase in performance
P, February 15, pg. 67
Miniature switches shrink in size yet pack a lot of punch
F, March 15, pg. 28
Modular power-supply line comes in three sizes and spans 44 models
P, February 15, pg. 65
New capacitors fill the gap between aluminum and tantalum
P, February 15, pg. 66
New techniques for millimeter microstrip unveiled at International Microwave Symposium
N, June 1, pg. 14
1-μsec sample-hold module allows 12-bit, 140-kHz throughput
P, May 15, pg. 64
Op amps teamed with mini-inductors yield circuits with infinite "Q"
F, April 1, pg. 38
Power supplies trade regulation for cost
P, February 1, pg. 61
Pulse technique determines series inductance of a resistor
C, June 1, pg. 49
Reed switch senses temperature limits and resets automatically
P, February 15, pg. 66
Ribbon cable breakthrough: crosstalk reduced to under 4%
N, June 15, pg. 16
Simple linear PLL demodulator uses discrete components
F, April 15, pg. 34
The magnetoresistor: A very simple solid-state transducer
F, January 15, pg. 36

Tiniest gas laser yet developed is a waveguide type only 2 in. long and 0.02 in. in diameter
N, June 1, pg. 15

Computers/Data Processing

Algebraic calculator uses conversational language for solving complex equations
P, March 15, pg. 90
Analog circuit modules offer advantages in industrial systems
F, March 1, pg. 18
Are your worst-case tests for core memory delta noise valid?
F, June 15, pg. 59
BASIC language programs generate root locus plots
F, June 1, pg. 40
Buying a minicomputer? Ask these questions first
F, May 1, pg. 20
Computer graphics—who needs it? A lot more people than you think
F, January 15, pg. CH16
Computer to help make typing lessons easy
N, January 15, pg. 17
Conserve memory power through switching
F, January 15, pg. CH10
Convert NRZ(M) signals to binary with little muss 'n fuss
F, February 15, pg. CH-21
Digital cartridges . . . New steps in many right directions
F, April 1, pg. 26
Digital cassettes . . . growing like wonderful weeds
F, February 1, pg. 28
Do you really need fast ladder switches in your D/A converter?
F, January 15, pg. 43
ECL arithmetic unit performs high speed binary multiplication
F, May 1, pg. 45
Electronic typewriter/printer challenges IBM in low speed market
P, April 1, pg. 54
Fingerprint transmission via satellite proves feasible
N, February 15, pg. 14
Floppy discs begin to enter the mini-mass-memory arena.
N, April 15, pg. 16
Flying clocks test relativity theory
N, January 15, pg. 17
Future memory systems: monolithic semiconductor
N, January 15, pg. CH6
Hand is scanned for positive identification
N, Janaury 1, pg. 17
High speed printer mates neatly with minicomputers
P, February 1, pg. 64
How effective are data transmission redundance checks?
F, June 15, pg. 66
How to tailor your memory needs with a minimum of external parts
F, May 15, pg. 60
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Keeping up with new dimensions in IC applications
F, March 15, pg. 42
Low-cost alphanumeric data terminal fills price—performance gap between full-scale video displays and teletypewriters
P, June 1, pg. 51
Low-cost calculator on a single chip
P, January 1, pg. 79
Memory topics cover wide span at ISSCC
N, March 15, pg. 19
Microprogramming leads to an efficient virtual computing system
F, February 15, pg. CH-14
Mini power supply put on PC backplane
N, February 1, pg. 18
Minicomputers shoulder the data communications burden for large computer systems
N, June 1, pg. 15
Multiplexing system processes 13,000 signals
N, February 15, pg. 12
R&D famine leaves ISSCC in rut . . . but some new developments emerge
N, March 15, pg. 18
Ribbon cable breakthrough: crosstalk reduced to under 4%
N, June 15, pg. 16
SJCC has mis-match between exhibits and papers but is still worth attending
N, May 1, pg. 14
Semiconductor memories—the speed and density gaps close
N, January 15, pg. 12
Single-digit BCD adder uses 3 ICs
C, March 1, pg. 52
Speak out on plated-wire memories
Speak out, March 1, pg. 40
TTL pipeline multipliers double multiplication rate
F, May 1, pg. 48
The ABC's of asynchronous data transmission
F, February 15, pg. 34

Displays

Computer graphics—who needs it? A lot more people than you think
F, January 15, pg. CH16
Don't let LED output measurements throw you.
F, January 1, pg. 54
Helmet mounted sighting device aims weapons where pilot looks
N, March 15, pg. 24
High-voltage monolithic technology permits 200V gas-display drivers
P, March 15, pg. 89
Holography may bring world's art treasures to millions
N, May 15, pg. 19
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Incandescent lamps mate well with silicon photosensors
F, January 1, pg. 44
Low-cost alphanumeric data terminal fills price—performance gap between full-scale video displays and teletypewriters
P, June 1, pg. 51
Memory topics cover wide span at ISSCC
N, March 15, pg. 19
Miniature-lamp prices cut in half with high-speed automatic machine
N, February 1, pg. 23
R&D famine leaves ISSCC in rut . . . but some new developments emerge
N, March 15, pg. 18
$6 billion security market foreseen by '76—an electronics boon
N, January 1, pg. 18
Technique yields high-quality holographic images from ordinary light sources
N, May 1, pg. 15

Instrumentation

Accuracy to within a few minutes per year is possible with three-piece quartz electronic wristwatch set
N, April 1, pg. 17
Active filters come in custom varieties with almost off-the-shelf delivery
P, March 15, pg. 91
Algebraic calculator uses conversational language for solving complex equations
P, March 15, pg. 90
Analog circuit modules offer advantages in industrial systems
F, March 1, pg. 18
Automatically tuned filter uses IC operational amplifiers
F, February 1, pg. 38
Buffer/filter extracts WWV time codes
C, April 1, pg. 51
Build a high-accuracy waveshaping circuit using inexpensive parts
F, June 1, pg. 36
Counter/power-supply/signal-source plug-ins introduced by Tektronix
P, June 1, pg. 50
DPM makes self-contained digital thermometer
C, May 1, pg. 55
Digital cartridges . . . New steps in many right directions
F, April 1, pg. 26
Digital cassettes . . . growing like wonderful weeds
F, February 1, pg. 28
Digital ICs offer new solutions for rough industrial problems
F, February 15, pg. 20
Digital-readout gain-phase meter spans 1Hz to 13 MHZ
P, January 15, pg. 51
Diodes avoid accidental damage from power-supply sensing
C, April 1, pg. 52
Donald Wilkin of HP speaks on the scope versus the logic probe for digital testing
F, May 15, pg. 46
Don't leave system grounding to chance
F, January 15, pg. 22
Don't let avoidable reed-relay pitfalls cripple your equipment designs
F, May 15, pg. 26
Electromechanical generator produces clean waveforms of any desired shape
N, February 15, pg. 17
Family of A/D converters combines low cost with high performance
P, April 1, pg. 55
Front-panel magic sells a product
F, January 15, pg. 44
Fully-programmable synthesizer sets standards in sophistication
P, March 1, pg. 55
Glass sphere floats in laser beam
N, January 1, pg. 21
Hand sized scientific calculator packs a big wallop in only 9 ounces
N, February 1, pg. 22
High-gain ac/dc oscilloscope amplifier
C, February 1, pg. 56
High-speed printer mates neatly with minicomputers
P, February 1, pg. 64
How effective are data-transmission redundance checks?
F, June 15, pg. 66
How to tailor your memory needs with a minimum of external parts
F, May 15, pg. 60
IC multiplexer puts zip into digital switching matrix
F, May 1, pg. 51
IC op amps make inexpensive instrumentation amplifiers
C, May 15, pg. 52
IC power supply provides test spikes or level shifts
C, April 15, pg. 54
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Implanted heart pacemaker is recharged without surgery
N, February 15, pg. 12
JFET switched resistor controls gain of op amps
C, April 1, pg. 50
Linear signal compressor has wide dynamic range
C, March 1, pg. 50
Low-cost IR system detects intruders
C, March 15, pg. 62
Make true rms measurements with your own modules
F, January 1, pg. 34

Multiplexing doesn't have to be limited to communications applications
F, April 1, pg. 18
Multiplexing system processes 13,000 signals
N, February 15, pg. 12
New hydrogen laser emits at 1161A . . . the shortest laser wavelength to date
N, April 1, pg. 16
Optical coupler and level shifter
C, February 1, pg. 55
Portable scopes approach pocket size
P, January 1, pg. 76
Silicon unilateral switches detect initial event
C, June 1, pg. 47
Simple IC meter amplifier circuit measures 100 nA full-scale
F, April 15, pg. 40
Single module combines instrument amp and A/D converter
F, April 15, pg. 57
Temperature-coefficient measuring circuit
C, February 1, pg. 54
Test box indicates logic levels for entire IC
C, June 1, pg. 48
Test op amps the easy way with simple step-by-step methods
F, March 1, pg. 28
The magnetoresistor: A very simple solid-state transducer
F, January 15, pg. 36
Tiny, high-performance log/antilog amplifier has a low $55 price
P, May 1, pg. 57
Tiny new DPM's operate from logic supplies
P, February 1, pg. 60
2 CMOS gates convert counter into capacitance meter
C, April 15, pg. 53
Two switching regulators for battery-powered systems
F, February 15, pg. 40
2 TTL packages convert BCD up-counter for down counting
C, June 15, pg. 55
Two-tone test generator delivers high-purity output
F, March 15, pg. 50
Use a single op-amp circuit for many instrumentation problems
F, April 1, pg. 32
Versatile programmer is truly universal
P, February 1, pg. 62

Management/Interface

Can an EE use market forecasts to plan his career
F, March 15, pg. 56
Engineering enrollments down sharply at both graduate and undergraduate levels
N, April 1, pg. 15
IEEE INTERCON, the worst appears to be over
F, March 15, pg. 66
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Need a job? So what else is new?
F, April 15, pg. 48
What about medical electronics as a new career field?
F, February 15, pg. 50
What kind of an engineer are you?
E, March 1, pg. 9

Materials

Decapsulation process permits low-cost refurbishing of obsolete or defective equipment
P, February 15, pg. 66
Elastomer material holds promise of improving electrical connections
N, June 15, pg. 17
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
New techniques for millimeter microstrip unveiled at International Microwave Symposium
N, June 1, pg. 14

Packaging

Decapsulation process permits low-cost refurbishing of obsolete or defective equipment
P, February 15, pg. 66
Design your own rack-and-panel connectors with modular connector kit
P, June 1, pg. 51
Elastomer material holds promise of improving electrical connections
N, June 15, pg. 17
Floppy discs begin to enter the mini-mass-memory arena.
N, April 15, pg. 16
Front-panel magic sells a product
F, January 15, pg. 44
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Mini power supply put on PC backplane
N, February 1, pg. 18
Miniature-lamp prices cut in half with high-speed automatic machine
N, February 1, pg. 23
New techniques for millimeter microstrip unveiled at International Microwave Symposium
N, June 1, pg. 14
Thermal symmetry yields high gain op amp
F, April 1, pg. 40

Semiconductors

Accuracy to within a few minutes per year is possible with three-piece quartz electronic wristwatch set
N, April 1, pg. 17
Automatically tuned filter uses IC operational amplifiers
F, February 1, pg. 38
Bucket brigard IC forms heart of speech compression system
N, January 1, pg. 18
Build an ON-OFF timer using inexpensive ICs
F, April 15, pg. 44
CMOS finally gets it all together
F, June 15, pg. 28
Charged coupling devices (CCDs) are knocking at the door
N, April 1, pg. 14
Combinations of established techniques result in new MOS RAM
F, March 15, pg. CH-8
Complete monolithic D/A converter provides 10-bit resolution
P, June 1, pg. 52
Digital ICs offer new solutions for rough industrial problems
F, February 15, pg. 20
Don't be confused by IC switching time specifications
F, March 1, pg. 34
Don't forget the optical isolator when solving coupling problems
F, April 15, pg. 26
Don't neglect the solid-state switch
F, March 1, pg. 44
ECL arithmetic unit performs high-speed binary multiplication
F, May 1, pg. 45
Future memory systems: monolithic semiconductor
N, January 15, pg. CH6
High-voltage monolithic technology permits 200V gas display drivers
P, March 15, pg. 89
IC multiplexer puts zip into digital switching matrix
F, May 1, pg. 51
IC op amps make inexpensive instrumentation amplifiers
C, May 15, pg. 52
IC op amps simplify regulator design
F, January 15, pg. 30
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Keeping up with new dimensions in IC applications
F, March 15, pg. 42
Latest monolithic D/A switches surmount earlier problems
P, February 1, pg. 63
Logic probe tests three-state logic circuits
C, February 15, pg. 56
Low-cost calculator on a single chip
P, January 1, pg. 79
Low-power digital phase locked loop utilizes CMOS logic
F, March 15, pg. 36
Low-power Schottky MSI circuits debut in standard packages or beam-lead chips
P, May 15, pg. 62
Memory topics cover wide span at ISSCC
N, March 15, pg. 19
New 50A Schottky diode achieves long-term stability
P, March 1, pg. 54
New semiconductor devices promise efficient, economical transient suppression
N, January 15, pg. 16
One CMOS package makes universal logic probe
C, June 15, pg. 56
One-chip CPU available for low-cost dedicated computers
P, January 15, pg. CH21
One transistor improves IC voltage regulator
C, May 15, pg. 51
R&D famine leaves ISSCC in rut . . . but some new developments emerge
N, March 15, pg. 18
Semiconductor memories – the speed and density gaps close
N, January 15, pg. 12
Simple IC meter amplifier circuit measures 100 nA full-scale
F, April 15, pg. 40
Simple linear PLL demodulator uses discrete components
F, April 15, pg. 34
Single IC makes high level logic probe
C, March 15, pg. 63
TTL pipeline multipliers double multiplication rate
F, May 1, pg. 48
Thermal symmetry yields high gain op amp
F, April 1, pg. 40
Thirty-second timer uses IC one-shot
C, January 1, pg. 73
Timer produces time delay from μsecs to hours
C, April 15, pg. 53
Triac gating circuit
C, January 1, pg. 72
2 TTL packages convert BCD up-counter for down counting
C, June 15, pg. 55
Versatile programmer is truly universal
P, February 1, pg. 62

Systems

Semiconductor memories – the speed and density gaps close
N, January 15, pg. 12
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
Future memory systems: monolithic semiconductor

N, January 15, pg. CH6
Digital ICs offer new solutions for rough industrial problems
F, February 15, pg. 20
Bucket brigard IC forms heart of speech compression system
N, Janaury 1, pg. 18
Analog circuit modules offer advantages in industrial systems
F, March 1, pg. 18
Automated checking of keyboards is a breeze
N, January 15, pg. CH4
BASIC language programs generate root locus plots
F, June 1, pg. 40
Buying a minicomputer? Ask these questions first
F, May 1, pg. 20
Diodes avoid accidental damage from power supply sensing
C, April 1, pg. 52
Don't leave system grounding to chance
F, January 15, pg. 22
Don't let avoidable reed-relay pitfalls cripple your equipment designs
F, May 15, pg. 26
Feedforward amplifier technique reduces noise and increases usable bandwidth
N, March 1, pg. 13
Flying clocks test relativity theory
N, January 15, pg. 17
Glass sphere floats in laser beam
N, January 1, pg. 21
Hand is scanned for positive identification
N, January 1, pg. 17
Helmet mounted sighting device aims weapons where pilot looks
N, March 15, pg. 24
Holography may bring world's art treasures to millions
N, May 15, pg. 19
How to tailor your memory needs with a minimum of external parts
F, May 15, pg. 60
Know the pitfalls of modular power-supply applications
F, May 1, pg. 32
Match your power supply to your system's needs
F, May 1, pg. 40
Minicomputers shoulder the data communications burden for large computer systems
N, June 1, pg. 15
Multiplexing system processes 13,000 signals
N, February 15, pg. 12
NBS breakthrough yields frequency measurements at 88 THz
N, March 1, pg. 12
New techniques for millimeter microstrip unveiled at International Microwave Symposium
N, June 1, pg. 14
PRD enters commercial automatic test market
N, January 15, pg. CH5
Ribbon cable breakthrough: crosstalk reduced to under 4%
N, June 15, pg. 16
Solar energy holds promise of long-life lasers for use in space communications
N, March 15, pg. 23
The ABC's of asynchronous data transmission
F, February 15, pg. 34
Two switching regulators for battery-powered systems
F, February 15, pg. 40

Test & Measurement

Algebraic calculator uses conversational language for solving complex equations
P, March 15, pg. 90
Automated checking of keyboards is a breeze
N, January 15, pg. CH4
Counter/power-supply/signal-source plug-ins introduced by Tektronix
P, June 1, pg. 50
Digital-readout gain-phase meter spans 1Hz to 13 MHZ
P, January 15, pg. 51
Donald Wilkin of HP speaks on the scope versus the logic probe for digital testing
F, May 15, pg. 46
Don't let LED output measurements throw you.
F, January 1, pg. 54
15-MHz, k mV/div. dual-trace scope retails at only $845
P, April 1, pg. 55
Flying clocks test relativity theory
N, January 15, pg. 17
Fully programmable synthesizer sets standards in sophistication
P, March 1, pg. 55
Hand is scanned for positive identification
N, January 1, pg. 17
High-gain ac/dc oscilloscope amplifier
C, February 1, pg. 56
Holography may bring world's art treasures to millions
N, May 15, pg. 19
IEEE-INTERCON technical sessions feature over 275 papers
N, March 1, pg. 14
IC power supply provides test spikes or level shifts
C, April 15, pg. 54
Multiplexing system processes 13,000 signals
N, February 15, pg. 12
PRD enters commercial automatic test market
N, January 15, pg. CH5
Portable 4-1/2 digit multimeter with 14 ranges introduced at $650
P, May 1, pg. 57
Portable scopes approach pocket size
P, January 1, pg. 76
Speak out on op amp testers
January 1, pg. 50
Test IC voltage regulators with one general-purpose circuit
F, May 15, pg. 40
Test op amps the easy way with simple step-by-step methods
F, March 1, pg. 28
Tiny new DPM's operate from logic supplies
P, February 1, pg. 60
2 CMOS gates convert counter into capacitance meter
C, April 15, pg. 53

Staggered fingers let case-mounted semi's work harder in less space



Now you can safely operate such devices as TO-3, TO-6, TO-66, plastics, at many times their bare case power rating using our patented Staggered Finger dissipators. We've got over 70 different models with dissipation capabilities ranging from 3 to 35 watts in natural convection, up to 125 watts in forced air. Why are they better? Staggered Finger design increases dissipating surface, cuts re-radiation, and produces turbulence in forced air. Send for catalog. IERC, 135 W. Magnolia Blvd., Burbank, Calif. 91502, a Corporate Division of Dynamics Corporation of America.

IERC Heat Sinks

CHECK NO. 51